



Sentricon* IG

Termite Bait

ACTIVE CONSTITUENT: 5 g/kg hexaflumuron

A below ground bait for the control of subterranean termites.

IMPORTANT: READ THIS OUTER PACK BEFORE USE.

Dow AgroSciences Australia Limited A.B.N. 24 003 771 659
20 Rodborough Road FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au

CUSTOMER SERVICE TOLL FREE 1-800 700 096

**Contains:
1 x 60 g Baitube device**

APVMA No: 57813/60G/1103
12/03 Made in USA

*Trademark of Dow AgroSciences

900-010305/00239979

Sentricon IG Termite Bait contains an insect growth regulator in a Baitube* device for the control of subterranean termites. To effectively use this product the user needs to have a thorough understanding of subterranean termite biology and behaviour with a particular emphasis on conditions conducive to termite activity.

DIRECTIONS FOR USE

- **DO NOT** break open or cut into the Baitube device.
- **DO NOT** remove protective wrapper from Baitube device until ready for use.
- **DO NOT** remove bait matrix from the Baitube device.

Situation	Pest	Critical Comments
For use in Sentricon In-ground stations that are installed in areas conducive to termite foraging. (Except Tasmania)	Subterranean termites	Once active termite feeding is detected in the in-ground station remove the extractor plus the remaining monitoring device and replace with prepared Baitube. (See GENERAL DIRECTIONS section)

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Sentricon bag (front): 7" (h) x 4" (w)

BLACK

PMS 220

PMS 265



PACKAGING ARTWORK: Sentricon IG - Bag Front

APVMA APPROVAL #: 57813/60G/1103 DATE: 12/03

	FINAL APPROVAL	DATE
Marketing		
Regulatory Affairs		



workhouse

**THE WORKHOUSE
VISUAL COMMUNICATIONS**
PTY LTD. ABN 36 051 781 607
LEVEL 1, 50 YEO STREET,
NEUTRAL BAY NSW 2089
POST OFFICE BOX 17
NEUTRAL BAY NSW 2089
TELEPHONE: (02) 9953 1494
FACSIMILE: (02) 9953 5492

GENERAL DIRECTIONS

Sentricon IG Termite Bait must remain in place while termites are feeding. Monitor in-ground stations every 2 to 6 weeks and gently replace the Baitube device with a new one just before it is fully consumed. Replace with new monitoring devices if feeding has not been observed for 2 consecutive monitoring visits (generally 2 months) and resume periodic monitoring of in-ground stations.

Before use it is essential to read the current Sentricon Technical Manual available from a Dow AgroSciences Customer Service Representative, or our website.

Preparation of the Baitube device before use

Place unopened Baitube in a shallow dish containing 100-150 mL of water. While wearing latex disposable gloves, remove the yellow outer cover from the Baitube while holding it submerged, allowing water to penetrate the slots and wet the matrix to a dough like consistency. Remove the Baitube lid, then insert the Baitube into the awaiting in-ground station. Carefully pour any excess water into the Baitube and replace the lid loosely. Close in-ground station.

Place plastic outer cover in a plastic bag for disposal at a local authority landfill.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

This product is very highly toxic to aquatic invertebrates. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area, out of direct sunlight. Used Baitube devices may be disposed of at a local authority landfill. Do not burn empty containers or product.

SPILLS

Sweep up material and contain in refuse vessel for disposal. Prevent entry of spilled material into drains or waterways. Bury swept up material at a local authority landfill that does not burn its refuse. In some States, wastes can only be buried at a licensed landfill.

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet for Sentricon IG Termite Bait which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Dow AgroSciences, or under abnormal conditions.

EMERGENCY RESPONSE (All Hours)
RING FROM ANYWHERE IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)

IN A TRANSPORT EMERGENCY ONLY
DIAL 000
FOR POLICE OR FIRE BRIGADE



900-010306/00239980

Sentricon bag (front): 7" (h) x 4" (w)

BLACK

Dow AgroSciences

PACKAGING ARTWORK: Sentricon IG - Bag Back


APVMA APPROVAL #: 57813/606/1103 DATE: 12/03

	FINAL APPROVAL	DATE
Marketing		
Regulatory Affairs		



workhouse

**THE WORKHOUSE
VISUAL COMMUNICATIONS**
PTY. LTD. ABN 36 051 781 607
LEVEL 1, 50 YED STREET,
NEUTRAL BAY NSW 2089
POST OFFICE BOX 17
NEUTRAL BAY NSW 2089
TELEPHONE: (02) 9953 1494
FACSIMILE: (02) 9953 5492

 Sentricon IG Termita Bait	ACTIVE CONSTITUENT: 5 g/kg hexaflumuron	Dow AgroSciences Australia Limited A.B.N. 24 003 771 659 20 Redborough Road FRENCHS FOREST NSW 2086 www.dowagrosciences.com.au	Important: Install this device only in Sentricon® in-ground stations according to the directions on the outer pack. Do not remove bait matrix from the baitube® device. APVMA No: 57813/60G/1103 12/03
	A below ground bait for the control of subterranean termites. Before use read all directions on the outer pack. Net Contents: 60 g minimum	CUSTOMER SERVICE TOLL FREE 1-800 700 095 *Trademark of Dow AgroSciences	

Sentricon tube label: 25 mm (h) x 127 mm (w)

BLACK PMS 220 PMS 265




PACKAGING ARTWORK: Sentricon IG - label

APVMA APPROVAL #: 57813/60G/1103 DATE: 12/03

	FINAL APPROVAL	DATE
Marketing		
Regulatory Affairs		



THE WORKHOUSE VISUAL COMMUNICATIONS
 PTY. LTD. ABN 38 051 781 607
 LEVEL 1, 50 YEO STREET,
 NEUTRAL BAY NSW 2089
 POST OFFICE BOX 17
 NEUTRAL BAY NSW 2089
 TELEPHONE: (02) 9953 1484
 FACSIMILE: (02) 9953 5492



REMOVE FILM REMOVE FILM REMOVE FILM REMOVE FILM
REMOVE FILM REMOVE FILM REMOVE FILM REMOVE FILM

Sentricon film: 150 mm (h) x 120 mm (w)

BLACK



PACKAGING ARTWORK: Sentricon IG + Sentricon AG Film

DATE: 12/03

	FINAL APPROVAL	DATE
Marketing		
Regulatory Affairs		



**THE WORKHOUSE
VISUAL COMMUNICATIONS**
PTY. LTD. ABN 36 051 781 807
LEVEL 1, 50 YED STREET,
NEUTRAL BAY NSW 2089
POST OFFICE BOX 17
NEUTRAL BAY NSW 2089
TELEPHONE: (02) 9953 1494
FACSIMILE: (02) 9953 5492