

WARNING
KEEP AWAY FROM
CHILDREN AND FOOD

ULTRATHOR™

WATER-BASED TERMITICIDE
FOR THE CONTROL OF SUBTERRANEAN TERMITES

COMPOSITION:

Active ingredient: Imidacloprid	100 g/L
Inert ingredients:	100 g/L
Total	1000 g/L

Sample only

Registered and Imported by : Ensysstex Philippines Inc.
330 Calvo Building
266 Escolta Street,
Manila

Manufactured by : Ensysstex Australasia Pty Ltd
Unit 3, 4-6 Junction Street
Auburn, NSW
Australia

™ Trademark of Ensysstex, Inc. used under licence by Ensysstex Philippines Inc.

Net Contents:

500 mL

FDA REGISTRATION NO:
HSR NO: 7995



ENSYSTEX™

DIRECTIONS FOR USE

Refer to attached leaflet for complete directions.

SITUATION	RATE	CRITICAL COMMENTS
Termites		
For protection of buildings.	1: 166 L of water or 1.2 L in 200 L of water.	Apply with suitable application equipment to form a complete and continuous Defence Zone (both vertical and horizontal) under the slab of new buildings. A perimeter Defence Zone should be installed around slabs, piers, substructure walls and external penetration points. Apply with suitable application equipment to form a continuous Defence Zone (both vertical and horizontal) around the structure. The formation of the Defence Zone may require a combination of several application techniques.
Active termites in wall.		Locate the nest or bivouac by drilling into the wall. Ensure that the full size of any infestation is identified, especially the highest point. Apply at least 20 litres of diluted ULTRATHOR into a termite nest.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods. Keep fire-resistant, stable (preferably) pressurized container before disposal. Add a sign to the spray tank. Dispose of in accordance with local regulations. Do not burn empty containers or contents.

SAFETY DIRECTIONS

Harmful if inhaled. May be harmful if swallowed. May be harmful in contact with skin. May irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Wash hands after use. When opening the container, preparing spray and using the prepared spray wear chemical resistant clothing buttoned to the neck and wrist and a washable hat, half-facepiece respirator with combined dust and gas cartridge and elbow-length PVC or nitrile gloves. After each day's use, wash gloves, contaminated clothing and respirator and if rubber wash with detergent and warm water.

FIRST AID

If swallowed and patient is conscious, give 1-2 glasses of water. Do not induce vomiting. Get medical attention immediately.

In cases of skin contact, remove contaminated clothing and wash affected areas with plain soap and water. Get medical attention as soon as possible if symptoms of poisoning are occurring.

In cases of splashes in the eyes, flush eyes with clean running water for at least 15 minutes. Get medical attention immediately. **If inhaled**, remove from contaminated area and bring patient to fresh air. If breathing is stopped, apply artificial respiration. Get medical attention as soon as possible.

NOTE TO PHYSICIAN: No known antidote. Treat symptomatically.

For more information Contact
National Poison Control and information Service
C/- Philippines General Hospital
Emergency Tel Nos: 02-524-1078 / 02-521-8450 loc 2311

Batch No.:

Date of Manufacture:

Expiry Date: