

DIRECTIONS FOR USE:

RESTRAINTS

DO NOT exceed 3 m between bait stations for mice.
DO NOT place baits in open.

BAITING STRATEGY:

Use only in caulking gun. Apply 3 to 4 grams of bait (two pumps of the gun) to the base of a waxed mouse bait box. Place baited boxes in protected situations away from hot pipes, ovens etc.

- Eliminate as far as practicable, all alternative food sources.
- Inspect baits daily.
- Replace eaten baits. If eaten quickly, increase number of baits.
- Continue observation and replenishment until no more baits are taken.
- Baiting for at least 2 weeks is necessary to reduce mouse numbers.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

The use of this product for the control of protected native rodents requires permission from wildlife authorities.

PRECAUTION: Do not allow bait to contaminate foodstuffs or food intended for human or animal consumption. Do not apply bait to crops. Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, poultry and wildlife species.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers. The product is restricted to use in and around buildings or enclosed spaces.

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Break, crush, puncture and bury empty containers and dispose of unused bait in a local authority landfill. If not available bury the containers or unused bait below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Dispose of carcasses safely by burning or burying in an approved landfill.
SAFETY DIRECTIONS: Poisonous if swallowed. Do not touch bait. If on skin and after each baiting, wash thoroughly with soap and water. Wash hands after use.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. Vitamin K1 (PHYTOMENADIONE) is antidotal.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY: This product as supplied is of a high grade and believed to be suitable for any purpose for which it is expressly recommended and must be used in accordance with the Directions for Use given on the label. No responsibility is accepted in respect of the product save those non-excludable conditions implied by any Federal and State legislation or law of a Territory.

APVMA Approval No. 54839/400/0205

B.N.

D.O.M.



POISON

KEEP OUT OF REACH
OF CHILDREN

READ SAFETY DIRECTIONS



BRODIFACOUM PASTE

ACTIVE CONSTITUENT:
0.05 g/kg BRODIFACOUM

FOR THE CONTROL OF
INTRODUCED MICE, INCLUDING
THOSE RESISTANT TO OTHER
ANTICOAGULANTS, IN AND
AROUND INDUSTRIAL,
COMMERCIAL, PUBLIC SERVICES
AND DOMESTIC BUILDINGS.

400 g NET



RENTOKIL INITIAL PTY LTD

A.B.N. 98 000 034 597
150 MOWBRAY ROAD, WILLOUGHBY,
NSW 2068 AUSTRALIA

a Rentokil Initial company

Telephone 02 9370 9300

Label image proudly supplied by

infopest@dpi.qld.gov.au